

## 12 K 4 PL 8Ω

## 12" | 2000 W

## **Code** Z008020

SNDW 4" Sandwich voice coil Kapton former

Double Cross Spider (DCS) with Progressive Waves

DAR Cloth surround with Double Asymmetric Rolls Technology (DAR)


AWpT Autoclave Waterproof Cone Treatment


CDR Neodymium Magnet Circuit with Copper Demodulating Ring

VMVc Ventilated Magnet and Voice Coil to reduce Power Compression

97.1 dB sensitivity

Frequency Range 50-3000 Hz






| General Spec                       | ifications       |                      |                       |
|------------------------------------|------------------|----------------------|-----------------------|
| Nominal Diameter                   |                  |                      | 321 mm (12")          |
| Nominal Impedance                  |                  |                      | 8 Ω                   |
| Rated Power AES <sup>(1)</sup>     |                  |                      | 1000 W                |
| Continuous Program Power (2)       |                  |                      | 2000 W                |
| Sensitivity @ 1W/1m <sup>(3)</sup> |                  |                      | 97.1 dB               |
| Voice Coil Diameter                |                  |                      | 100 mm (4")           |
| Voice Coil Winding Depth           |                  |                      | 21 mm                 |
| Magnetic Gap Depth                 |                  |                      | 12 mm                 |
| Flux Density                       |                  |                      | 1.10 T                |
| Magnet Weight                      |                  |                      | 536 g                 |
| Net Weight                         |                  |                      | 6.6 kg                |
| Thiele & Smal                      | l Parameters (4) |                      |                       |
| Re                                 | 5.2 Ω            | Fs                   | 48.0 Hz               |
| Qms                                | 4.41             | Qes                  | 0.25                  |
| Qts                                | 0.24             | Mms                  | 93.6 g                |
| Cms                                | 115 µm/N         | Bxl                  | 24.70 Tm              |
| Vas                                | 46.3 I           | Sd                   | 530.9 cm <sup>2</sup> |
| X max <sup>(5)</sup>               | +/-7.0 mm        | X var <sup>(6)</sup> | +/-9.0 mm             |
| ηο                                 | 1.99 %           | Le (1kHz)            | 0.74 mH               |
|                                    |                  |                      |                       |

**Professional** 









Frequency Response on 45 Lt @ 55 Hz Vented Box @ 1W, 1m Free Air Impedance

**Constructive Characteristics** 

| Magnet                      | Neodymium               |  |
|-----------------------------|-------------------------|--|
| Basket Material             | Aluminium Die-Cast      |  |
| Voice Coil Winding Material | Copper                  |  |
| Voice Coil Former Material  | Kapton                  |  |
| Cone Material               | Paper                   |  |
| Cone Treatment              | Humidity Resistant Pulp |  |
| Surround Material           | Treated Cloth           |  |
| Dust Dome Material          | Solid Paper             |  |
| Mounting Information        |                         |  |
| Overall Diameter            | 320 mm                  |  |
| Baffle Cutout Diameter      | 284 mm                  |  |
| Mounting Holes              | 8 holes 6x9 on ø301 mm  |  |

(1) Rated Power measured with 2-hour test with pink noise signal, 6dB crest factor, loudspeaker in free air, power calculated on rated Zmin. (2) Power on Continuous Program is defined as 3dB greater than the Rated Power. (3) Calculated by Thiele & Small parameters, for SPL average in box refer to frequency response. (4) Thiele & Small parameters measured with laser system after preconditioning test. (5) Measured with respect to a THD of 10%. (6) Value corresponding to a decay of the Force Factor, or Compliance, or both, equal to the 50% of the small signal value. (7) Drawing dimensions: mm.

Total Depth

154.8 mm